COUGAR LIGHTING

Vanity

2026
Catalogue

Aurora

LED 85 CCT

Chrome finish I Opal acrylic lens I
Colour Temperature 3000k, 4000k and 5000k I

Model No	Description	Light Source	Lumens	Dimensions
AURO20WLEDCHR	20W LED Vanity Light	96 x 0.4w LED	1300Lm, 1400Lm, 1500Lm	L: 635mm H: 55mm P: 75mm
AURO30WLEDCHR	30W LED Vanity Light	144 x 0.4w LED	1950Lm, 2100Lm, 2250Lm	L: 935mm H: 55mm P: 75mm





Aurora

LED 85 CCT

Gold finish | Opal acrylic lens |
Colour Temperature 3000k, 4000k and 5000k |

Model No	Description	Light Source	Lumens	Dimensions
AURO20WLEDGLD	20W LED Vanity Light	96 x 0.4w LED	1300Lm, 1400Lm, 1500Lm	L: 635mm H: 55mm P: 75mm
AURO30WLEDGLD	30W LED Vanity Light	144 x 0.4w LED	1950Lm, 2100Lm, 2250Lm	L: 935mm H: 55mm P: 75mm



Aurora

LED 85 CCT

White finish | Opal acrylic lens |
Colour Temperature 3000k, 4000k and 5000k |

Model No	Description	Light Source	Lumens	Dimensions
AURO20WLEDWHT	20W LED Vanity Light	96 x 0.4w LED	1300Lm, 1400Lm, 1500Lm	L: 635mm H: 55mm P: 75mm
AURO30WLEDWHT	30W LED Vanity Light	144 x 0.4w LED	1950Lm, 2100Lm, 2250Lm	L: 935mm H: 55mm P: 75mm

Capella

LED | CRI 80 | 4000k | DIMMABLE

Recommended dimmer: Diginet,Clipsal LED, Dimpala Trader

Black finish I Frost acrylic lens

Model No	Description	Light Source	Lumens	Dimensions
CAPE16WLEDBLK	16W LED Vanity Light	96 x 0.2w SMD	1200Lm	L: 660mm H: 70mm P: 185mm
CAPE20WLEDBLK	20W LED Vanity Light	120 x 0.2w SMD	1480Lm	L: 820mm H: 70mm P: 185mm





Capella

LED | CRI 80 | 4000k | DIMMABLE

Recommended dimmer: Diginet,Clipsal LED, Dimpala Trader

White finish I Frost acrylic lens

Model No	Description	Light Source	Lumens	Dimensions
CAPE16WLEDWHT	16W LED Vanity Light	96 x 0.2w SMD	1200Lm	L: 660mm H: 70mm P: 185mm
CAPE20WLEDWHT	20W LED Vanity Light	120 x 0.2w SMD	1480Lm	L: 820mm H: 70mm P: 185mm

Carlisle

LED | CRI 80 | 4000k | DIMMABLE

Recommended dimmer: Diginet,Clipsal LED, Dimpala Trader

Chrome finish I Frost/Clear acrylic lens

Model No	Description	Light Source	Lumens	Dimensions
CARLI16WLEDCH	16W LED Vanity Light	96 x 0.2w SMD	1960Lm	L: 763mm H: 55mm P: 90mm
CARLI20WLEDCH	20W LED Vanity Light	120 x 0.2w SMD	2450Lm	L: 925mm H: 55mm P: 90mm

Coral

LED | CRI 80 | 4000k | DIMMABLE

Recommended dimmer: Diginet,Clipsal LED, Dimpala Trader

Black finish I Opal acrylic lens

Model No	Description	Light Source	Lumens	Dimensions
CORA12WLEDBLK	12W LED Vanity Light	72 x 0.2w SMD	1113Lm	L: 600mm H: 65mm P: 105mm
CORA16WLEDBLK	16W LED Vanity Light	96 x 0.2w SMD	1410Lm	L: 760mm H: 65mm P: 105mm



Coral

LED | CRI 80 | 4000k | DIMMABLE

Recommended dimmer: Diginet,Clipsal LED, Dimpala Trader

Chrome finish I Opal acrylic lens

Model No	Description	Light Source	Lumens	Dimensions
CORA12WLEDCH	12W LED Vanity Light	72 x 0.2w SMD	1113Lm	L: 600mm H: 65mm P: 105mm
CORA16WLEDCH	16W LED Vanity Light	96 x 0.2w SMD	1410Lm	L: 760mm H: 65mm P: 105mm

Cube

LED | CRI 80 | 4000k | DIMMABLE

Recommended dimmer: Diginet,Clipsal LED, Dimpala Trader

Chrome finish I Frost/Clear acrylic lens

Model No	Description	Light Source	Lumens	Dimensions
CUB3LT15WLED	15W LED Vanity Light	3 x 5w LED	1740Lm	L: 520mm H: 45mm P: 95mm
CUB4LT20WLED	20W LED Vanity Light	4 x 5w LED	2320Lm	L: 730mm H: 45mm P: 95mm

Extreme

LED | CRI 80 | 4000k | DIMMABLE

Recommended dimmer: Diginet,Clipsal LED, Dimpala Trader

Chrome finish I Frost acrylic lens

Model No	Description	Light Source	Lumens	Dimensions
EXT12WLEDCH	12W LED Vanity Light	72 x 0.2w SMD	1470Lm	L: 430mm H: 42mm P: 100mm
EXT18WLEDCH	18W LED Vanity Light	108 x 0.2w SMD	2205Lm	L: 590mm H: 42mm P: 100mm
EXT20WLEDCH	20W LED Vanity Light	120 x 0.2w SMD	2450Lm	L: 900mm H: 42mm P: 100mm



Polo

LED CRI 80 3000k

Black finish | Opal acrylic lens

Model No	Description	Light Source	Lumens	Dimensions
POL16WLEDBLK	16W LED Vanity Light	40 x 0.5w SMD	1250Lm	L: 605mm H: 50mm P: 70mm
POL24WLEDBLK	24W LED Vanity Light	60 x 0.5w SMD	2008Lm	L: 900mm H: 50mm P: 70mm



Polo

LED CRI 80 3000k

White finish | Opal acrylic lens

Model No	Description	Light Source	Lumens	Dimensions
POL16WLEDWHT	16W LED Vanity Light	40 x 0.5w SMD	1250Lm	L: 605mm H: 50mm P: 70mm
POL24WLEDWHT	24W LED Vanity Light	60 x 0.5w SMD	2008Lm	L: 900mm H: 50mm P: 70mm

Roka

LED | CRI 85 | 4000k | IP44

Black finish I Opal acrylic lens

Model No	Description	Light Source	Lumens	Dimensions
ROKA16WLEDBLK	16W LED Vanity Light	48 x 0.4w SMD	1060Lm	L: 725mm H: 66mm P: 130mm
ROKA23WLEDBLK	23W LED Vanity Light	72 x 0.4w SMD	2085Lm	L: 1025mm H: 66mm P: 130mm

Roka

LED | CRI 85 | 4000k | IP44

Chrome finish I Opal acrylic lens

Model No	Description	Light Source	Lumens	Dimensions
ROKA16WLEDCH	16W LED Vanity Light	48 x 0.4w SMD	1060Lm	L: 725mm H: 66mm P: 130mm
ROKA23WLEDCH	23W LED Vanity Light	72 x 0.4w SMD	2085Lm	L: 1025mm H: 66mm P: 130mm

Roka

LED | CRI 85 | 4000k | IP44

Gold finish I Opal acrylic lens

Model No	Description	Light Source	Lumens	Dimensions
ROKA16WLEDGLD	16W LED Vanity Light	48 x 0.4w SMD	1060Lm	L: 725mm H: 66mm P: 130mm
ROKA23WLEDGLD	23W LED Vanity Light	72 x 0.4w SMD	2085Lm	L: 1025mm H: 66mm P: 130mm

Roka

LED | CRI 85 | 4000k | IP44

White finish I Opal acrylic lens

Model No	Description	Light Source	Lumens	Dimensions
ROKA16WLEDWHT	16W LED Vanity Light	48 x 0.4w SMD	1060Lm	L: 725mm H: 66mm P: 130mm
ROKA23WLEDWHT	23W LED Vanity Light	72 x 0.4w SMD	2085Lm	L: 1025mm H: 66mm P: 130mm

Sirius

LED | CRI 80 | 4000k | DIMMABLE

Recommended dimmer: Diginet,Clipsal LED, Dimpala Trader

Black finish I Frost acrylic lens

Model No	Description	Light Source	Lumens	Dimensions
SIRI16WLEDBLK	16W LED Vanity Light	96 x 0.2w SMD	1200Lm	L: 660mm H: 45mm P: 78mm
SIRI20WLEDBLK	20W LED Vanity Light	120 x 0.2w SMD	1480Lm	L: 820mm H: 45mm P: 78mm

Sirius

LED | CRI 80 | 4000k | DIMMABLE

Recommended dimmer: Diginet,Clipsal LED, Dimpala Trader

Brass finish | Frost acrylic lens

Model No	Description	Light Source	Lumens	Dimensions
SIRI16WLEDBRS	16W LED Vanity Light	96 x 0.2w SMD	1200Lm	L: 660mm H: 45mm P: 78mm
SIRI20WLEDBRS	20W LED Vanity Light	120 x 0.2w SMD	1480Lm	L: 820mm H: 45mm P: 78mm

Sirius

LED | CRI 80 | 4000k | DIMMABLE

Recommended dimmer: Diginet,Clipsal LED, Dimpala Trader

Chrome finish I Frost acrylic lens

Model No	Description	Light Source	Lumens	Dimensions
SIRI16WLEDCH	16W LED Vanity Light	96 x 0.2w SMD	1200Lm	L: 660mm H: 45mm P: 78mm
SIRI20WLEDCH	20W LED Vanity Light	120 x 0.2w SMD	1480Lm	L: 820mm H: 45mm P: 78mm

Sirius

LED | CRI 80 | 4000k | DIMMABLE

Recommended dimmer: Diginet,Clipsal LED, Dimpala Trader

White finish | Frost acrylic lens

Model No	Description	Light Source	Lumens	Dimensions
SIRI16WLEDWHT	16W LED Vanity Light	96 x 0.2w SMD	1200Lm	L: 660mm H: 45mm P: 78mm
SIRI20WLEDWHT	20W LED Vanity Light	120 x 0.2w SMD	1480Lm	L: 820mm H: 45mm P: 78mm



Zodiac

LED | CRI 80 | 4000k | DIMMABLE

Recommended dimmer: Diginet,Clipsal LED, Dimpala Trader

Black finish | Frost acrylic lens

Model No	Description	Light Source	Lumens	Dimensions
ZODI12WLEDBLK	12W LED Vanity Light	72 x 0.2w SMD	1030Lm	L: 540mm H: 45mm P: 75mm
ZODI16WLEDBLK	16W LED Vanity Light	96 x 0.2w SMD	1380Lm	L: 700mm H: 45mm P: 75mm
ZODI20WLEDBLK	20W LED Vanity Light	120 x 0.2w SMD	1685Lm	L: 860mm H: 45mm P: 75mm

Zodiac

LED | CRI 80 | 4000k | DIMMABLE

Recommended dimmer: Diginet,Clipsal LED, Dimpala Trader

White finish | Frost acrylic lens

Model No	Description	Light Source	Lumens	Dimensions
ZODI12WLEDWHT	12W LED Vanity Light	72 x 0.2w SMD	1030Lm	L: 540mm H: 45mm P: 75mm
ZODI16WLEDWHT	16W LED Vanity Light	96 x 0.2w SMD	1380Lm	L: 700mm H: 45mm P: 75mm
ZODI20WLEDWHT	20W LED Vanity Light	120 x 0.2w SMD	1685Lm	L: 860mm H: 45mm P: 75mm

Cougar Lighting

Contact Us

Head Office

Cougar Lighting Pty Ltd
ABN: 17 007 780 270
30 Produce Lane
Pooraka
South Australia 5095

Sales Enquiries

E-Mail: sales@cougarlighting.com.au
Toll Free: 1800 888 517
Phone: 08 8169 2900
Fax: 08 8169 2944

Website

www.cougarlighting.com.au

Over 50 Years of Lighting Excellence

Cougar Lighting History

Cougar Lighting began in a 55 Square metre factory in Norwood, South Australia in 1975. We then moved to a larger premises in West Lakes by the late 1970's, as our market expanded interstate.

With the introduction of its Colonial and Federation ranges in the early 1980's Cougar then shifted to Windsor Gardens. Cougar also invested in a an Electro Plating plant at Para Hills to keep up with demand of its "Made In Australia" product. In the late 1980's Cougar then moved its factory to Salsibury South and invested in metal spinning and wood lathes.

In the middle of the 1990's Cougar Lighting then moved to Golden Grove where at its peak employed 55 staff members. The market then started changing with the onset of imported products and the move towards more modern styles of lighting. The landscape of Lighting was changed forever.

In October 2008 we shifted into our new warehouse at Pooraka, South Australia. At over 3,500 square metres our new warehouse is 3 times the size of our previous warehouse at Golden Grove. This new premises with state of the art warehouse and office facilities will further allow us to continue to supply you, our valued client, with the level of service that you have become accustomed to when dealing with Cougar Lighting.

50 Years of Lighting Excellence
Cougar Lighting remains and still is a family owned and operated company.

Mike Hanson
Managing Director

Cougar Lighting

Warranty

A 1 year warranty applies to all light fixtures that are used in an internal household application. This warranty covers defect of finish or electrical components. It does not cover light globes that come complete with light fixtures supplied by Cougar Lighting. This warranty is only valid upon proof of installation by a licensed electrician and that the light fixtures have not been misused or used in an inappropriate situation that the fitting in question was not designed for.

A 1 year warranty applies to all light fixtures that are used in an internal commercial application. This warranty covers defect of finish or electrical components. It does not cover light globes that come complete with light fixtures supplied by Cougar Lighting. This warranty is only valid upon proof of installation by a licensed electrician and that the light fixtures have not been misused or used in an inappropriate situation that the fitting in question was not designed for.

A 2 year warranty applies to all Cougar Lighting external light fixtures used in a household application will apply as long as the light fixture is not located any closer than 100m from salt water or salt mining. This warranty covers defect of finish or electrical components. It does not cover light globes that come complete with fittings supplied by Cougar Lighting. This warranty is only valid upon proof of installation by a licensed electrician and that the light fixtures have not been misused or used in an inappropriate situation that the fitting in question was not designed for.

A 1 year warranty applies to all Cougar Lighting external light fixtures used in a commercial application will apply as long as the light fixture is not located any closer than 100m from salt water or salt mining. This warranty covers defect of finish or electrical components. It does not cover light globes that come complete with fittings supplied by Cougar Lighting. This warranty is only valid upon proof of installation by a licensed electrician and that the light fixtures have not been misused or used in an inappropriate situation that the fitting in question was not designed for.

A 3 year warranty applies to all LED lighting fixtures that are used in an internal or external household application. This warranty covers defect of finish or electrical components supplied with the fitting by Cougar Lighting. This warranty is only valid upon proof of installation by a licensed electrician and that the light fixtures have not been misused or used in an inappropriate situation that the fitting in question was not designed for.

A 1 year warranty applies to all LED lighting fixtures that are used in a internal or external commercial application. This warranty covers defect of finish or electrical components supplied with the fitting by Cougar Lighting. This warranty is only valid upon proof of installation by a licensed electrician and that the light fixtures have not been misused or used in an inappropriate situation that the fitting in question was not designed for.

Cougar's liability during the warranty periods is to repair or replace faulty components or complete fittings without charge as long as returned to the place of purchase, with proof of purchase, and proof of installation by licensed electrician. Cougar will not be liable for re- installation charges unless previously approved in writing by Cougar.

For a full list of our TRADING TERMS & CONDITIONS please refer to our Wholesale Pricelist.

Specifications of light fixtures represented in this catalogue
are subject to change without prior notification.

Cougar Lighting 2024 Catalogue Version 1

View Live Stock Numbers And Delivery Dates At
www.cougarlighting.com.au

Family Owned and Operated Since 1975

COUGAR
LIGHTING

COUGAR
LIGHTING