





Exteriors





Stockholm

LED
CRI 80
3000K 4000K
IP 44
IP 65
DIMMABLE

Recommended dimmers:
Clipsal LED


Anodized Aluminium finish | Clear glass

IP65 Spike, 1lt Adj & 2lt Wall
IP44 2lt/3lt & 4lt Rail

Available as Frame only
or with GU10 LED globes
12v Spike light not dimmable

Rail Measurements
2lt R L 300mm W 50mm P 25mm
3lt R L 500mm W 50mm P 25mm
4lt R L 640mm W 50mm P 25mm

Model No	Description	Light Source	Lumens	Dimensions
STO1SA 3000K, 4000K	1lt 12v LED Exterior Spike Light	1 x MR16 5w globe	430Lm/460Lm	H: 650mm W: 60mm P: 130mm
STO1WA 3000K, 4000K	1lt LED Exterior Adjustable Wall Light	1 x GU10 5w globe	450Lm/470Lm	H: 160mm W: 68mm P: 160mm
STO2WA 3000K, 4000K	2lt LED Exterior Wall Light	2 x GU10 5w globes	900Lm/940Lm	H: 205mm W: 68mm P: 86mm
STO2RA 3000K, 4000K	2lt LED Exterior Rail	2 x GU10 5w globes	900Lm/940Lm	L: 360mm W: 60mm P: 170mm
STO3RA 3000K, 4000K	3lt LED Exterior Rail	3 x GU10 5w globes	1350Lm/1410Lm	L: 560mm W: 60mm P: 170mm
STO4RA 3000K, 4000K	4lt LED Exterior Rail	4 x GU10 5w globes	1800Lm/1880Lm	L: 700mm W: 60mm P: 170mm



Stockholm



Recommended dimmers:
Clipsal LED

Anodized Titanium finish | Clear glass

IP65 Spike, 1lt Adj & 2lt Wall
IP44 2lt/3lt & 4lt Rail

Available as Frame only
or with GU10 LED globes
12v Spike light not dimmable

Rail Measurements
2lt R L 300mm W 50mm P 25mm
3lt R L 500mm W 50mm P 25mm
4lt R L 640mm W 50mm P 25mm

Model No	Description	Light Source	Lumens	Dimensions
STO1ST 3000K, 4000K	1lt 12v LED Exterior Spike Light	1 x MR16 5w globe	430Lm/460Lm	H: 650mm W: 60mm P: 130mm
STO1WT 3000K, 4000K	1lt LED Exterior Adjustable Wall Light	1 x GU10 5w globe	450Lm/470Lm	H: 160mm W: 68mm P: 160mm
STO2WT 3000K, 4000K	2lt LED Exterior Wall Light	2 x GU10 5w globes	900Lm/940Lm	H: 205mm W: 68mm P: 86mm
STO2RT 3000K, 4000K	2lt LED Exterior Rail	2 x GU10 5w globes	900Lm/940Lm	L: 360mm W: 60mm P: 170mm
STO3RT 3000K, 4000K	3lt LED Exterior Rail	3 x GU10 5w globes	1350Lm/1410Lm	L: 560mm W: 60mm P: 170mm
STO4RT 3000K, 4000K	4lt LED Exterior Rail	4 x GU10 5w globes	1800Lm/1880Lm	L: 700mm W: 60mm P: 170mm



Stockholm

LED
CRI 80
3000K / 4000K
IP 44
DIMMABLE

Recommended dimmers:
Clipsal LED

Matt Black finish | Clear glass

IP65 Spike, 1lt Adj & 2lt Wall
IP44 2lt/3lt & 4lt Rail

Available as Frame only
or with GU10 LED globes
12v Spike light not dimmable

Rail Measurements
2lt R L 300mm W 50mm P 25mm
3lt R L 500mm W 50mm P 25mm
4lt R L 640mm W 50mm P 25mm

Model No	Description	Light Source	Lumens	Dimensions
STO1SBLK 3000K, 4000K	1lt 12v LED Exterior Spike Light	1 x MR16 5w globe	430Lm/460Lm	H: 650mm W: 60mm P: 130mm
STO1WBLK 3000K, 4000K	1lt LED Exterior Adjustable Wall Light	1 x GU10 5w globe	450Lm/470Lm	H: 160mm W: 68mm P: 160mm
STO2WBLK 3000K, 4000K	2lt LED Exterior Wall Light	2 x GU10 5w globes	900Lm/940Lm	H: 205mm W: 68mm P: 86mm
STO2RBLK 3000K, 4000K	2lt LED Exterior Rail	2 x GU10 5w globes	900Lm/940Lm	L: 360mm W: 60mm P: 170mm
STO3RBLK 3000K, 4000K	3lt LED Exterior Rail	3 x GU10 5w globes	1350Lm/1410Lm	L: 560mm W: 60mm P: 170mm
STO4RBLK 3000K, 4000K	4lt LED Exterior Rail	4 x GU10 5w globes	1800Lm/1880Lm	L: 700mm W: 60mm P: 170mm



Hamburg




Recommended dimmers:
Clipsal LED

Anodized Aluminium finish | Anodized Titanium finish
Matt Black finish | Clear glass

Available as Frame only or with GU10 LED globes

Model No	Description	Light Source	Lumens	Dimensions
HAM2WA 3000K, 4000K	2lt LED Exterior Wall Light	2 x GU10 5w globes	900Lm/940Lm	H: 210mm W: 100mm P: 90mm
HAM2WT 3000K, 4000K	2lt LED Exterior Wall Light	2 x GU10 5w globes	900Lm/940Lm	H: 210mm W: 100mm P: 90mm
HAM2BLK 3000K, 4000K	2lt LED Exterior Wall Light	2 x GU10 5w globes	900Lm/940Lm	H: 210mm W: 100mm P: 90mm



Lemans



Black finish | Clear glass

240v AC driverless
C/w 50cm flex & plug

C/w Mounting Setup
10w: W 140mm, H 87mm
30/50w: W 240mm, H 140mm

Model No.	Description	Light Source	Lumens	Dimensions
LEMA10WLED	10w LED Exterior Box Flood	20 x 0.5w SMD	950Lm	H: 95mm W: 130mm P: 25mm
LEMA30WLED	30w LED Exterior Box Flood	64 x 0.5w SMD	2800Lm	H: 168mm W: 230mm P: 40mm
LEMA50WLED	50w LED Exterior Box Flood	100 x 0.5w SMD	4700Lm	H: 168mm W: 230mm P: 40mm



Graz



Charcoal finish | Silver finish | Clear glass



Pilsen



Charcoal finish | Silver finish | Clear acrylic lens

Black reflectors to adjust light angle

Model No.	Description	Light Source	Lumens	Dimensions
GRAZ2E CHA, SLV	2lt LED Exterior Wall Light	2 x 6w COB	855Lm	H: 260mm W: 90mm P: 60mm
PILS2E CHA, SLV	2lt LED Exterior Wall Light	2 x 6w COB	750Lm	H: 140mm W: 105mm P: 130mm



Mainz



Charcoal finish | Silver finish | Opal acrylic lens



Varde



Charcoal finish | Silver finish | Opal acrylic lens

Model No.	Description	Light Source	Lumens	Dimensions
MAIN1E CHA, SLV	LED Exterior Wall Light	6w SMD	460Lm	H: 200mm W: 160mm P: 45mm
VARD1E CHA, SLV	LED Exterior Wall Light	6w SMD	322Lm	H: 180mm W: 180mm P: 55mm



Modena



Charcoal finish | White finish | Opal acrylic lens



Tenby



Charcoal finish | White finish | Opal acrylic lens

Exteriors

Model No.	Description	Light Source	Lumens	Dimensions
MODE1E CHA, WHT	LED Exterior Wall Light	10w SMD	632Lm	H: 70mm W: 180mm P: 160mm
TENB1E CHA, WHT	LED Exterior Wall Light	9w SMD	629Lm	H: 220mm W: 125mm P: 103mm



Bodo



Charcoal finish | Silver finish | Opal acrylic lens

240v AC driverless



Minsk



Charcoal finish | Silver finish | Opal acrylic lens

240v AC driverless

Model No.	Description	Light Source	Lumens	Dimensions
BODO1E CHA, SLV	LED Exterior Light	4w SMD	280Lm	H: 140mm W: 140mm P: 65mm
MINS1E CHA, SLV	LED Exterior Wall Light	7w SMD	360Lm	H: 300mm W: 65mm P: 95mm



Tucson



Black finish | Pewter finish | Frost glass
240v AC driverless



Ozone



Black finish | White finish | Clear acrylic lens

Model No.	Description	Light Source	Lumens	Dimensions
TUCS2E BLK, PWT	2lt LED Exterior Wall Light	2 x 6w COB	690Lm	H: 300mm W: 188mm P: 100mm
OZO1E BLK, WHT	LED Exterior Wall Light	1 x 4w COB	280Lm	H: 75mm W: 140mm P: 210mm



Shore

LED CRI 85 3000K IP 54

Aluminium finish | Clear glass



Ikon

LED CRI 85 3000K IP 54

Aluminium finish | Clear glass

Exteriors

Model No.	Description	Light Source	Lumens	Dimensions
SHOR2ELED	2lt LED Exterior Wall Light	2 x 3w COB	460Lm	H: 170mm W: 83mm P: 45mm
IKON2ELED	2lt LED Exterior Wall Light	2 x 3w COB	460Lm	H: 170mm W: 83mm P: 130mm



Snorkel



Bronze finish | Galvanized finish | Clear glass




Torquay



Black finish | Silver finish | Opal acrylic lens
Polycarbonate

Model No.	Description	Light Source	Lumens	Dimensions
SNOR1E BRZ, GAL	LED Exterior Wall Light	1 x 4w COB	380Lm	H: 155mm W: 110mm P: 150mm
TORQPLED BLK, SLV	Plain LED Exterior Bunker Light	12w LED SMD	800Lm	W: 300mm P: 95mm
TORQELLED BLK, SLV	Eyelid LED Exterior Bunker Light	12w LED SMD	800Lm	W: 300mm P: 95mm



Brugge



Recommended dimmers:
Clipsal LED

Charcoal finish | Silver finish | Clear glass

Available as Frame only or with GU10 LED globes



Hanover



Recommended dimmers:
Clipsal LED

Charcoal finish | Silver finish | Clear glass

Available as Frame only or with GU10 LED globes

Model No.	Description	Light Source	Lumens	Dimensions
BRUG2ECHA 3000K, 4000K	2lt LED Exterior Wall Light	2 x GU10 5w globes	900Lm/940Lm	H: 150mm W: 65mm P: 95mm
BRUG2ESLV 3000K, 4000K	2lt LED Exterior Wall Light	2 x GU10 5w globes	900Lm/940Lm	H: 150mm W: 65mm P: 95mm
HANO2ECHA 3000K, 4000K	2lt LED Exterior Wall Light	2 x GU10 5w globes	900Lm/940Lm	H: 150mm W: 70mm P: 95mm
HANO2ESLV 3000K, 4000K	2lt LED Exterior Wall Light	2 x GU10 5w globes	900Lm/940Lm	H: 150mm W: 70mm P: 95mm



Cairns



Recommended dimmers:
Clipsal LED

Black finish | White finish | 304 Stainless Steel finish
Clear glass

Available as Frame only or with GU10 LED globes

Model No.	Description	Light Source	Lumens	Dimensions
CAIR1EBLK 3000K, 4000K	1lt LED Exterior Wall Light	1 x GU10 5w globe	450Lm/470Lm	H: 110mm W: 115mm P: 155mm
CAIR1EWHT 3000K, 4000K	1lt LED Exterior Wall Light	1 x GU10 5w globe	450Lm/470Lm	H: 110mm W: 115mm P: 155mm
CAIR1E304 3000K, 4000K	1lt LED Exterior Wall Light	1 x GU10 5w globe	450Lm/470Lm	H: 110mm W: 115mm P: 155mm



Fascia



Recommended dimmers:
Clipsal LED

Black finish | White finish | Clear glass

Available as Frame only or with GU10 LED globes



Darwin



Black finish | Silver finish | Opal acrylic lens

Vertical mount only

Model No.	Description	Light Source	Lumens	Dimensions
FACSEDLBK 3000K, 4000K	1lt Exterior Surface Mounted Downlight	1x GU10 5w globe	450Lm/470Lm	H: 135mm W: 90mm
FACSEDLWHT 3000K, 4000K	1lt Exterior Surface Mounted Downlight	1x GU10 5w globe	450Lm/470Lm	H: 135mm W: 90mm
DARW1E B, SLV	1lt Exterior Wall Light	60w ES Max	N/A	H: 350mm W: 120mm P: 120mm



Linear

IP
44

304 Stainless Steel finish | 316 Stainless Steel finish
Opal glass

Vertical mount only



Dockside

IP
44

304 Stainless Steel finish | 316 Stainless Steel finish
Opal acrylic lens

Vertical mount only

Model No.	Description	Light Source	Dimensions	Comment
LIN1E 304SS, 316SS	1lt Exterior Wall Light	40w ES Max	H: 230mm W: 90mm P: 90mm	Globe not included
LIN2E 304SS, 316SS	2lt Exterior Wall Light	40w ES Max	H: 400mm W: 90mm P: 90mm	Globes not included
DOCK1E 304, 316	1lt Exterior Wall Light	40w ES Max	H: 240mm W: 170mm P: 100mm	Globe not included



Lyon

IP 54

Charcoal finish | Silver finish | Opal acrylic lens
Vertical mount only



Madrid

IP 44

Black finish | Bronze finish | Clear bevelled glass
Vertical mount only

Model No.	Description	Light Source	Dimensions	Comment
LYON1E CHA, SLV	1lt Exterior Wall Light	40w ES Max	H: 285mm W: 150mm P: 95mm	Globe not included
MAD1ESM BLK, BRZ	1lt Small Exterior Wall Light	60w ES Max	H: 240mm W: 180mm P: 100mm	Globe not included
MAD1ELG BLK, BRZ	1lt Large Exterior Wall Light	60w ES Max	H: 300mm W: 230mm P: 125mm	Globe not included



Anglesea

IP
44

Black finish | Bronze finish | 316 Stainless Steel finish
Clear glass

Vertical mount only

Model No.	Description	Light Source	Dimensions	Comment
ANGL1E BLK, BRZ, 316	1lt Exterior Wall Light	60w ES Max	H: 280mm W: 120mm P: 145mm	Globe not included



Oxford

IP
44

Black finish | Bronze finish | Clear stippled glass
Vertical mount only



Coventry

IP
43

Bronze finish | Clear stippled glass
Vertical mount only

Model No.	Description	Light Source	Dimensions	Comment
OXFO1E BLK, BRZ	1lt Exterior Wall Light	60w ES Max	H: 395mm W: 185mm P: 230mm	Globe not included
COVE1ESMBRZ	1lt Small Exterior Wall Light	60w ES Max	H: 240mm W: 155mm P: 185mm	Globe not included
COVE1ELGBRZ	1lt Large Exterior Wall Light	60w ES Max	H: 330mm W: 205mm P: 240mm	Globe not included



Nottingham

IP 43

Black finish | Bronze finish | Clear stippled glass
Vertical mount only



Norfolk

IP 44

Black finish | Bronze finish | Matt Opal glass
Vertical mount only

Exteriors

Model No.	Description	Light Source	Dimensions	Comment
NOTT1E BLK, BRZ	1lt Exterior Wall Light	60w ES Max	H: 385mm W: 190mm P: 235mm	Globe not included
NORF1E BLK, BRZ	1lt Exterior Wall Light	60w ES Max	H: 295mm W: 185mm P: 175mm	Globe not included



Cambridge

IP 43

Black finish | Bronze finish | Clear stippled glass

Vertical mount only



Plymouth

IP 43

Black finish | Bronze finish | Frost glass

Vertical mount only

Model No.	Description	Light Source	Dimensions	Comment
CAMB1E BLK, BRZ	1lt Exterior Wall Light	60w ES Max	H: 305mm W: 160mm P: 190mm	Globe not included
PLYM1E BLK, BRZ	1lt Exterior Wall Light	60w ES Max	H: 260mm W: 150mm P: 170mm	Globe not included



Coogee

IP
44

Aluminium finish | Black finish | White finish
Frost ribbed glass

Model No.	Description	Light Source	Dimensions	Comment
COOG1ESOV ALU, BLK, WHT	1lt Small Oval Exterior Bunker	60w ES Max	L: 215mm W: 140mm H: 95mm	Globe not included
COOG1ELOV ALU, BLK, WHT	1lt Large Oval Exterior Bunker	60w ES Max	L: 320mm W: 210mm H: 110mm	Globe not included
COOG1ESR ALU, BLK, WHT	1lt Small Round Exterior Bunker	60w ES Max	W: 190mm H: 90mm	Globe not included
COOG1ELR ALU, BLK, WHT	1lt Large Round Exterior Bunker	60w ES Max	W: 255mm H: 95mm	Globe not included